PATENT ABSTRACTS OF JAPAN

(11)Publication number:

10-206604

(43) Date of publication of application: 07.08.1998

(51)Int.CI.

G02B 1/11

B32B 3/30

B32B 7/02

(21)Application number: 09-019563

(71)Applicant: DAINIPPON PRINTING CO LTD

(22)Date of filing:


20.01.1997

(72)Inventor: IWATA YUKIMITSU

(54) REFLECTION PREVENTIVE FILM

(57)Abstract:

PROBLEM TO BE SOLVED: To provide a reflection preventive film which is used for various display by preventing the reflection of light at its surface, and by reducing an optical thin film layer in the reflection preventive film in which necessary visual informations can be clearly read for restraining the color development due to the interference of light, so that the entire film becomes low in reflection.



SOLUTION: A reflection preventive film is a laminated film in which an optical thin film layer 5 having a reflective index lower than that of a base material is provided to an uneven base material 2 that is transparent and has an uneven shape 6 on its surface with the thickness of $\lambda/4n$, (n = refractive index, $\lambda=500$ to

600nm) and with only a simple layer, and it is constituted so that the haze value of the entire laminated film is less than 40%, and also the difference between the minimum spectral reflectance and the maximum spectral reflectance in the region of visible rays (380 to 780nm) is 0.5% or less.

LEGAL STATUS

[Date of request for examination]